



INSTALLATION START-UP GUIDE



TruthActionProject.Org

ACTION HUBS for 9/11 TRUTH and Truly Real Conspiracies



When choosing to operate a Truth Booth, not only does one take a path many others cannot understand, one also gains strength by tapping into a burgeoning network of citizens who are *Fed Up* with federal authorities wasting our wages (taxes) to fund absurdities like domestic propaganda that pathologically lies to us using psychological operations; fiscal futility, deadly schemes and war crimes, assassinations here and abroad, 75 regime change coup attempts since WW2; risking blow-back and the end of the Bill of Rights and The Constitution.

Truth Action Project offers activists what is needed to attract others to Truth Booths. We

- ✓ *Buy in bulk, passing through a split with you.*
- ✓ *Have ample experience with booths and boothing.*
- ✓ *LBD, Learned By Doing to streamline preparations*
- ✓ *Negotiate as if we were in your shoes (we booth too)*
- ✓ *Have painfully become better informed about government.*

Contact Matt 815.403.1847
or truthbooths@truthactionproject.org

TRUTH BOOTH | WAYMore Kits | Truth Booth's 20+page ppt. Start-up Guide 1

TRUTH BOOTH OPERATOR'S GUIDE

Truth Booth (TB) operators use this guide because its abundant details are grouped in clusters while pulling participants through a journey few have traveled. Suggestions take the form of to-do and to-get lists. Volunteer activists are encouraged to take ownership of their role. In most locales, the truth movement needs a place like a booth as a hub to attract people looking to constructively release anxieties about the status quo of the deep State. This guide has imbedded video clips laying out (only in PowerPoint) the handiwork and how it's done.

STANDARD ISSUES & CONSIDERATIONS

The standard issue with Truth Booths is that there's too much work to do before its debut. If done by oneself, that may well be the case! However, the normal challenge of finding work for volunteers goes away during the preparation stages. When the time for booth teams to exhibit arrives, momentum has been built on cooperating to achieve their objectives. Team Spirit has a chance to grow and rise above the norm.

With that, others will want to help. As your first team grows, you can set up secondary teams that enable you to alternate shifts to cover the booth, or host at separate locations.

- ❑ **Location:** Will your 10' x 10' Truth Booth fit into the provided area? Is the ground level?
- ❑ Do you need access to power? If yes, is there a fee and if so, how much is it?
- ❑ Is there a restroom nearby?
- ❑ Does everything fit in the available vehicle(s) in one trip? Who could help set it up and break it down? If you cannot attend an event, you also want a person who can in your stead, navigate the conspiracies of the day.
- ❑ You can ask about discounts or perks for non-profits and if you are allowed to accept donations. You may need to contact your sheriff, fire or police departments, local administrators, or whoever is in charge of the nearest farmers market or other top venues.
- ❑ **Permits and Fees:** Register or apply for any necessary permits, pay appropriate fees, notify the public, and cover all of the basics. You may want to ask about discounts or perks for non-profits and if accepting donations is allowed. You may need to contact the local sheriff, fire department, police department, local administrators, or whoever is in charge of the nearest farmers market or other top venues.
- ❑ **Dry Run:** Physically put everything together in your yard, a park, or preferably at the actual location a week or two before your debut.
- ❑ A 'rehearsal' builds confidence, morale, and teamwork, and it helps reduce mistakes. It's a good opportunity to bond and inspire approachable, competent volunteers.
- ❑ **Host a Sneak Preview:** Invite friends and truth-friendly folks to see your booth. Turn a regular day or routine evening into an event all will long remember.

Truth Booth Goal & Preparation Stages

Truth Booth Goal: *Inform and inspire civic action by show casing the true history of capital crimes and cover-ups by the U.S. government.*

- 1) Prepare Lawyers Committee (LC) Exhibit Sheets for the main display.
- 2) Make Exhibit columns for hanging evidence summaries.
- 3) Prepare banners for canopy attachment.
- 4) Prepare the canopy for a strong bond with banners.
- 5) Content can include COVID-19/GOFR*/Medical Freedom, 5G, Direct Energy Weapons, Geoengineering, Election Integrity and 9/11.

Exhibits Installation Outline

S-hooks connect exhibit sheets to form vertical columns. The columns are hung from horizontal PVC pipes. The pipes are suspended by wires. The wires are hung from tent frame members overhead that remain stationary (possibly with duct tape). When Truth Booth groups decide where to place their exhibit columns, securing them to the frame stops them from sliding to-and-fro' due to gravity and windy conditions.

*Gain-Of-Function Research

Hang the Evidence.


In Truth Booths across the land, we are!

9/11 was over 20 years ago. Why Now?

Because we want to help educate the public about Grand Juries, for instance. Federal courts said in effect, 'No, we don't need to uphold The 1st, 5th, 6th or 7th Amendments,' because 9/11 Plaintiffs don't have adequate "standing" – a term meaning you have something to lose, that you have 'skin in the game.'

Oh Really... So immediate family members and fire chiefs didn't suffer enough losses on 9/11? **What an Outrage!**

Since the courts have prohibited a Grand Jury from seeing the Petition's 60 exhibits, good on you for showing 12 of them (in summary form and it is perfectly legal to do) in your community!



Main Display # 1 -- 9/11 Grand Jury Exhibit Summaries

Spec: Landscape layout

MATERIAL: 64 pages of 60-100 lb. 8-1/2 x 11 heavy stock, white/off-white, clear sheet protectors

TOOLS ETC.: Copier, 2 vice grips, hand-held, single hole punch

TASK TIME [Minutes in Blue: 320- 380]

STAGE I -- Prep TAP-produced PDF **Grand Jury Exhibit Summaries** (12 out of 60) for hanging display.

1. Copy/print from supplied PDF from TAP's Truth Booths Program [A=30, B=30, C=60-90]

A. On the copier scan glass, place the "**Register Marks**" with register marks at the four corners.



Those are where holes for S-hooks will go. The first printing (64 pp.) batch is ONLY for corners.

B. Run (64, or 32 twice) **Grand Jury Exhibit Summaries** through the copier. Documents are now ready for 2. and 3 on point.


C. Reinforcing holes (2) at the top of sheets is a decent idea. The bottom holes have a spine beneath them but the top holes cannot. It takes 25 pounds or more to tear an S-hook from the top.

NOTE reinforcement patches to the top 2 holes is NOT an absolute. In most circumstances, the combination of 2 layers of clear sheeting (front + back) and the middle layer of heavy stock can easily handle the load. We hung 8 columns for 5 weeks (24/7), without damage to them, whether reinforced or not. A couple top sheets in Row 1 had half moon dimples from S Hooks, but they were kept on display regardless, because they looked fine.


2. Place each display sheet in its own clear sheet protector [20].


A. bottom first, centered

B. Finger-push the exhibit sheet into the bottom, nice and snug, against the horizontal reinforcement spine, centered.

3. Punch holes (4 per sheet) for S-hooks: simply find the target  through your HOLE punch's TINY window. Then pop your sheets as referred to in 1.A.. [180 - 210]


(320-380)





“New” columns need just one – no longer two -- s-hooks at junctions.


Paper Clip Conversion to Column Top Hook



Column Top Hooks



Even though he's not smiling like he usually does, Matt is happy to help by guiding you through the remaining 15-20 minutes. Power Point users can view videos in several slides hereon.




OBJECTIVE II – Make Exhibit Columns

**B
U
I
L
D
I
N
G**



**C
O
L
U
M
N
S**

- ❖ **PURPLE font** indicates items are from the **WAYMore Kit**
- ✓ **96 S-Hooks**
- ❑ 16 large, preferably colored paper clips
- ✓ **20 O-rings**
- ❑ 2 of ½" PVC pipe, (tan-colored), 5-feet each. Remember end caps if filling pipes.



“Hanging pipe” approached by a Top Hook


TOOLS ETC.: Vice grips (2), single-hole punch, pliers TASK TIME [[Minutes in Blue 320-360:](#)]

Building

Columns

For Project Truth Booths, s-hooks are the physical linkages between each court exhibit page of evidence written in summary form. They are the result of studying the 60 exhibits in a federal court petition about 9/11. While setting up a booth, connected columns unfold like an accordion and of course at tear-down, quickly fold back into the shopping bag with lots of room for other items. S-hooks won't rust and they are inexpensive at 6.3 cents each.


The video to your immediate right shows how to use vice grips to crimp an s-hook properly with little effort and fewer mistakes.



Video Take Aways

1. Nudge s-hooks furthest from vice grips' open side for the best fulcrum effect, or leverage.
2. Use vice grips front and center and up close.
3. TIP: when closing gaps, squeeze the grips firmly but relaxed, like a good handshake.

Diane broke down 8 exhibit columns each of which are 4 documents high. Using the Accordion Fold, she packed up the 32 pages in just over 3 minutes.




Accordion Fold



No video?

He's showing O-rings so tightly fit around PVC pipes to keep columns from going out of their lanes.



O-Rings are your Guard Rails. To Safely Drive to the Truth about 9/11, let's

Hang the Evidence.


Federal courts have not allowed Grand Juries to see mountains of 9/11 evidence in the form of court petitions filed in Manhattan and Washington, DC. ***Twice the DOJ's determined court officials disallowed Petitions submitted by the "LC," or Lawyers Committee for 9/11 Inquiry.*** To help this travesty of Justice from disappearing into the dustbin of history, Truth Action Project has embraced our freedom to speak (truth) with 12 exhibit summaries out of 60 to choose from.

If you and your people want to consider making a difference by working with us to inform the public of our Republic about the facts on any number of true conspiracies, please email us.

Introducing I-Magi-
Nation Makers Who
Deliver Goodwill to open
God's Way through Us by
Right Consciousness.



1. Hovering




No harm done but a bit of overkill here...The strips could be a half-inch instead of full inch wide and still hold their own.

#2 Landing







12"





#3 Leaving





#4a Left



#4b Far Left

How to AFFIX Vinyl Banners SEMI-PERMANENTLY TO POLYESTER

1) Mark (crayon) exactly where surface hooks belong on top of the softer, fuzzy female loop surface. But at first, they reverse r

2) Peel off the clear film from male back & stick each on targeted banner spots. [See page 19] Remove the clear film from fuzzy female backs which have remained stuck on the males.

3) Lay same sized (female) loop strips on top of the prickly, receptive males that are already affixed to banners.

4) Remove the clear film from fuzzy female backs which have remained stuck on the males.

5) The final step is applying (very low V.O.C.'s) Gorilla Fabric Glue in groups of 1 spot at a time, do 5 at a time, ramp up to 10, or as many 2 minute cure time

Depending on size, spots receive 1 to 4 drops of glue applied. Wipe excess glue with a moist towel. Gorilla advises on their label to **wait 2 minutes before covering up if you want the optimum bond. 24-hour cure time is best. PEEL BACK the banners 180°. DO NOT PULL them apart (90°). If glue oozed out it could pull out the canopy's loops (This did occur).**

MORE TIPS AS Qs and A's

Q: STUCK: how can we avoid sticky tape sticking (to our hands) when we handle it?



A: Put the sticky tape on the top of the index finger nail of your primary hand- not the whole nail, but maybe a quarter-inch at the tip. NOTE by doing all strips together one step at the same time as shown above, "handling" uber sticky material becomes moot.

Q: When a hole is torn and you must take the junction apart, what do you do?

A: This has happened during prep stages but not at a live event. But we do anticipate somewhere, sometime, it will. The task is easy, though. It's on page 19.




Avoid "getting stuck." After removing the clear film from sticky backs, if any MUST be handled, only touch them with fingernails.




Got Torn-Sook Holes?

Using Elmer's Glue-All card stock bands, fold over exhibit page's top edge, get glued, and lastly, their holes punched again.

Summary of Truth Booth's Mapping Sticky Spots




12-6.75
No-cut



#1 Hovering




#2 Landing



Spots to attach
Doves = 66 spots
Logo = 12 "
No cut-outs = 20.25
" Total = = 98.25
"Sticky-tape" usage
Doves = 31 in.
TB Logo = 6.25
No-cut = 26.50 "
Total = 63.75"

NOTE 1-inch wide strips are not needed with cut-outs, except for our logo on the far right.

Did you know a 3rd high-rise collapsed on 9/11?



No airplane hit 47-story WTC Building 7
Nat'l Institute of Science & Technology (NIST)

- *Has withheld all data used in computer modeling theories*
- *Spokesman said no traces of explosives were found....*


"We didn't look for explosives because that's not what happened."

Not looking violates long standing standard operating procedure.

Here's the biggest banner with ZERO PREP needed: Building 7. It's 20 square feet , 2.5' x 8' ft.. With polished brass grommets and downsized bungee cords that stretch 11 to 16-17 inches, this booth element takes 30 seconds to put up! It hooks up instantly at the 4 corners.

An added bonus is the grommet in the top center. It's perfect because it also stretches up to a strap seemingly waiting there for the bungee to show up!


Print 32 pages x 2 passes



Fixing ripped s-hook holes

- 1) Use one blank sheet of heavy paper, 60-lb.+.
- 2) Cut a strip ½ inch wide, 6 to 5-1/2 inch long
- 3) Fold the strip twice so that the lengths are the same.

- 4) Cut across the two creases. You now should have three pieces of equal length, about 1-3/4 inches each.
- 5) Fold each of those one time.
- 6) You can now take those tiny tent-shaped reinforcements and place one over the front of the injured holes covering front and back over the hole area.
- 7) Glue the inside of the tiny tent, then fold it over the hole, both sides.
- 8) Hold the area up to a light source. Punch through the previous hole.



Miscellaneous Ideas and Recommendations

Acquire locally or mail-order the following to complete preparation:

- ❑ 8 bricks – 1 per column, for thin wires between the 4th Row's bottom 2 holes, with s-hooks
- ❑ (1) 10-ft. ½" PVC
- ❑ Duct or other tape
- ❑ Consider roping off 1, 2 or 3 sides of the booth.
- ❑ "WELCOME" mat or signage overhead at entrance
- ❑ TABLE 2' x 4' up to 3' x 5'
- ❑ Clipboard and pens (for boothers' documents such as petitions etc.)
- ❑ A/V equipment: batteries (perhaps various types for computer/cell phone/lpad etc.) protective cases, anti-theft:
- ❑ Attach equipment for public viewing can to table as done in retail stores
- ❑ Most "devices" have some sort of anti-theft software built in, so all you have to do is have an account and turn it on
- ❑ Laptops are questionable (heat, rain, theft). For running video you could procure a "refurbished" or a many (tech) generations from Ebay for less (\$50-100). All you really need is enough memory to run a continuous loop, and, a power source, of course.



For a buck a brick, take care of most wind-blown concerns. The bottom two holes with S-Hooks use thin wire between the S-Hook and the brick. Each column gets its own brick.

CAUTION: Prevent "Lift-Off"

Obtain "ankle weights" for (4) outside corner poles using bags/jugs (gallon H₂O = 8.5 lbs./,sand or 'clean' dirt. Tie/cap/close each top, then tie two together. Wrap pairs around the poles until they snuggle into each other. 20- 25 lbs. around each leg will be enough unless winds exceed 30-35 MPH. For aesthetics' sake, use rope or bungee cords to tighten up/wrap up nice and firm around corner ankles.

Northern Florida from early July until mid-August we left an un-bannered booth outdoors to test its durability. During that time rainfall was plentiful with a total of 10-15 inches. Meaning: about six times heavy rain collected in the four sections of the frame, and two or three times – bulged 3-4 feet down with 2s0 to 50 gallons per section. That's approx. 250-400 lbs. each, for a conservative total of at least 1,000 lbs.. REMEMBER: with gusts 30-35+ MPH, postpone/leave early for another day. Same goes for impermeable ground, with wind over 25 MPH.

The WAYMore Kit

Because that's what you get with our Truth Booth.

Category	Applicable Products	Size	Units	Descr.
Core	Canopy	Denier 600	1	ct.
Core	Frame + Stakes w/ Rope	galv.	1	ct.
Banner	Building 7	2.5 x 8	20	SF
Banner	ACTION	1 x 10	10	SF
Banner	Truth Booth logo	28"x32"	6.22	SF
Banner	5 on 4	1 x 1 x 4	4	SF
Banner	GRAND JURY EXHIBITS	1 x 5 x 2	10	SF
Component	Bungee chords	11" to 17"	6	ct.
Component	Gorilla Fabric Glue	2.5	2.5	oz.
Component	Clear sheet protectors	3 mil. clear	50	ct.
Component	Large paper clips	2" multicolor	20	ct.
Component	10-lb. wire	Galvanized	50	ft.
Component	S Hooks	Stainless	107	ct.
Component	O Rings	9/16" I.D.	12	ct.

NOTE the above blue background items include 10% more product allowing for their being lost, mistakes made, etc.

Contact Matt 815.403.1847 truthbooths@truthactionproject.com

Blank Canopy Tent

2a: Three Banners
: #1 "Hovering" dove
: #5 "Far Left" dove
: Truth Booth logo

2b: Three dove Banners
: #2 (large) "Landing"
: #3 (large) "Leaving"
: #4 (medium) "Left"

Setup instructions




Place tent graphic in center of the area to be sheltered. Have 2 people stand on opposite sides, grasp two outer legs, lift off the ground and step backwards, stopping at arms length.



Grasp at the bottom of the canopy tent on opposite sides, as shown. Lift up and step backwards until tent is fully opened.



Note: For 20' x 10' tent each person should move to middle leg of 20ft side. Grasp bottom of the tent, lift up and step backwards at the same time until tent is fully opened.



Engage the push button at each corner by pushing up with one hand while holding down top of leg with the other hand. Push button will engage in the hole by locking in.



Lift two adjacent outer legs up and pull out the inner legs until snap locks. Repeat on all legs. Raise or level the tent using push button found near bottom of each leg.


IMPORTANT

Windy Condition - Use stake kit or Sand bags.
Heavy Wind - Take tent down.
Wet Fabric - Let tent dry before closing.
Storage - Use cover bag when not in use.
Rain - Do not leave tent unattended.


Closing instructions



Lift outer legs slightly, then depress the push button telescope inner legs up into outer legs. Repeat on opposite side.



Release push button at each corner to release pressure on slider. Repeat on all four corners.



Grasp top of the tent on opposite sides. Lift and shake the tent. Step forward towards your partner until the tent is 3/4 closed. Grasp two outer legs, push together till tent is fully closed.

For further assistance, please visit our website to chat with our Customer Service team.

Did you know that participatory democracy was 600 years old in June of 1776?



Figure 31.

On June 11, 1776 while the question of independence was being debated, the visiting Iroquois chiefs were formally invited into the meeting hall of the Continental Congress. There a speech was delivered, in which they were addressed as "Brothers" and told of the delegates' wish that the "friendship" between them would "continue as long as the sun shall shine" and the "waters run." The speech also expressed the hope that the new Americans and the Iroquois act "as one people, and have but one heart."^[18] After this speech, an Onondaga chief requested permission to give Hancock an Indian name. The Congress graciously consented,

and so the president was renamed "Karanduan, or the Great Tree." With the Iroquois chiefs inside the halls of Congress on the eve of American Independence, the impact of Iroquois ideas on the founders is unmistakable. History is indebted to Charles Thomson, an adopted Delaware, whose knowledge of and respect for American Indians is reflected in the attention that he gave to this ceremony in the records of the Continental Congress.^[19] Artwork by John Kahionhes Fadden.

Notes				

**Contact Matt 815.403.1847
or truthbooths@truthactionproject.org**